



University of **HUDDERSFIELD**

University of Huddersfield Repository

Blyth, Eric

To Be or not to Be? A Critical Appraisal of the Welfare of Children Conceived through New Reproductive Technologies

Original Citation

Blyth, Eric (2008) To Be or not to Be? A Critical Appraisal of the Welfare of Children Conceived through New Reproductive Technologies. *The International Journal of Children s Rights*, 16 (4). pp. 505-522. ISSN 09275568

This version is available at <http://eprints.hud.ac.uk/id/eprint/5390/>

The University Repository is a digital collection of the research output of the University, available on Open Access. Copyright and Moral Rights for the items on this site are retained by the individual author and/or other copyright owners. Users may access full items free of charge; copies of full text items generally can be reproduced, displayed or performed and given to third parties in any format or medium for personal research or study, educational or not-for-profit purposes without prior permission or charge, provided:

- The authors, title and full bibliographic details is credited in any copy;
- A hyperlink and/or URL is included for the original metadata page; and
- The content is not changed in any way.

For more information, including our policy and submission procedure, please contact the Repository Team at: E.mailbox@hud.ac.uk.

<http://eprints.hud.ac.uk/>

AUTHOR'S PERSONAL COPY

To Be or not to Be? A Critical Appraisal of the Welfare of Children Conceived through New Reproductive Technologies* *International Journal of Children's Rights* (2008) 16: 505–522

Eric Blyth

**This paper is based on the opening address given by the author at Nobody's Child, Everybody's Children: An International Conference on New Reproductive and Genetic Technologies held at Malaspina University-College, Nanaimo British Columbia, Canada, 24 May 2007.*

Abstract

Over three million children are believed to have been born worldwide – and over 200,000 annually – as a result of “new reproductive technologies” (NRTs). This paper provides a critical review of the proposition that children are always best-served by being born. Drawing on the specific examples of intracytoplasmic sperm injection (ICSI); multiple births; pre-implantation genetic diagnosis (PGD) and selecting the characteristics of children, and donor conception it argues that there are defensible welfare arguments for curtailing unrestricted access to NRTs. Increased and wider dialogue is proposed to encourage the implementation of practices and policies that take account of the interests of all those affected by NRTs and which command public support.

Keywords: children's rights; new reproductive technologies; intracytoplasmic sperm injection; multiple births; pre-implantation genetic diagnosis; selecting the characteristics of children; donor conception

Since fertility rates are falling and the use of the new reproductive technologies is growing, [children conceived through reproductive technologies] will make up a significant client group as adults. If they have been exposed to undue risks as a result of their mode of conception, they will take a very different view of these risks in relation to those who helped in their conception (Sutcliffe, 2003).

Introduction

Since the birth almost thirty years ago of Louise Brown, the first person conceived through in vitro fertilization, it is estimated that, worldwide, a range of “New Reproductive Technologies” (and some not so new reproductive technologies) have contributed to more than three million births (Horsey, 2006) and are continuing to do so at a rate of around 200,000 each year (Adamson, 2006).

In many industrialized countries, approximately 1% of all live births result from reproductive technology. Some countries, however, have reported higher figures; for example, Slovenia and Sweden, 2.9% each, Finland, 3.2%, and Denmark, 3.9% (Andersen et al., 2007) and in the future, an increase in the proportion of births resulting from reproductive technologies relative to all births can be anticipated if current trends in declining global fertility rates and increasing recourse to reproductive technology continue.

In the context of extremely low and falling fertility rates, particularly affecting industrialized countries, where below-population replacement fertility levels are now the norm, the modest contribution of reproductive technology towards fertility levels (Grant et al., 2006; Nowak, 2007) might be perceived as unambiguously beneficial. Indeed, IVF, which has provided the building block for many subsequent technological developments, has been cited as one of the great inventions, not only of the 20th century, but of all time (Encyclopædia Britannica, 2003). Its advocates claim it has become a “very routine medical procedure” (McClure, 2004) – and some have argued for relaxing the regulatory regime to which it is subject in some countries. Contrariwise, Louise Brown's birth has been described as the “harbinger of an onslaught that would rip away the groundwork of civilized society” (Howley, 2006), while Thomas (2007), in a particularly vitriolic condemnation, compares the new – and the not-so-new – reproductive technologies to the “slave trade”. For some (e.g. Institute for American Values, 2006; Thomas, 2007), this offence is aggravated insofar as the perpetrators are the children's own parents, who stand accused of promoting their own interests at the cost of those of their children – their alleged misuse of reproductive technology is projected as a modern form of child abuse.

What is it about reproductive technologies that provokes such divergent views? Can bringing children into the world ever be regarded as contrary to their interests? Are there occasions when restricting adults' access to services can be justified on child welfare grounds?

Even a cursory review of reproductive technologies suggests that there may be occasions when their impact on children is at least questionable. The UK's Medical Research Council (2004: 2) warns that:

The evidence [that current reproductive technology procedures are generally safe], particularly in terms of long-term safety, is relatively weak when compared to other similarly well-established clinical techniques.

A detailed review of reproductive technologies would identify:

- The increased risk of preterm delivery, low birth weight and other adverse outcomes associated with conception resulting from assisted reproductive procedures (e.g. Hansen et al., 2005; Sutcliffe et al., 2006; Wright et al., 2007), adverse outcomes associated with clinical error (e.g. Leeds Teaching Hospitals NHS Trust v Mr. and Mrs. A and Others, 2003) and overt deception (e.g. Sforza, 2007);
- particular procedures, such as commercial surrogacy, reproductive cloning, "selecting in" or "selecting out" specific characteristics, conceiving a child as a "saviour sibling", conceiving a child using gametes or embryos from a deceased person, multiple embryo transfer and donor conception; and
- the provision of assisted conception services to particular individuals or groups, such as single people, people in same-sex partnerships, or post-menopausal women.

This is an illustrative rather than an exhaustive list and, given space constraints, I will limit a more detailed discussion to intracytoplasmic sperm injection (ICSI); multiple births; pre-implantation genetic diagnosis (PGD) and selecting the characteristics of children, and donor conception.

Intracytoplasmic Sperm Injection

ICSI, the injection of a single sperm into an egg to create an embryo, was developed to facilitate egg penetration and fertilization in cases of male fertility difficulties. The first human births following ICSI/IVF were reported in 1992 (Palermo et al., 1992). Although the ICSI pioneers embarked on long-term investigation of the possible hazards of the procedure and those arising from use of sperm from sub-fertile men (e.g. Ponjaert-Kristoffersen et al., 2004; Sutcliffe et al., 2004; Bonduelle et al., 2005), clinicians elsewhere did not wait for the procedure to be evaluated before jumping onto the ICSI "bandwagon". Between 1993 and 1995, the number of centres worldwide providing ICSI increased nearly threefold, while the annual number of ICSI cycles increased nearly eightfold (Tarlatis and Bili, 2000). ICSI now accounts for around half - and in some countries over 80% - of all IVF procedures (Adamson, 2006; Wang et al., 2006; Andersen et al., 2007; Centers for Disease Control and Protection, 2007). Increased recourse to ICSI does not indicate an increased rate of diagnosis of male factor infertility, but rather ICSI's emergence as the treatment of choice for NRT providers. For example, a diagnosis of male factor infertility was absent in 49.6% of all ICSI procedures performed in the United States during 2005 (Centers for Disease Control and Protection, 2007).

Follow up studies of ICSI-conceived children show that they have an increased risk of major congenital malformations and reduced future fertility (Hansen et al., 2002; Debaun et al., 2003; Maher et al., 2003; Bonduelle, 2004; Ponjaert-Kristoffersen et al., 2004; Sutcliffe et al., 2004; Bonduelle et al., 2005; Belva et al., 2006; Sutcliffe et al., 2006), the most likely causes of which are thought to be sperm characteristics rather than the procedure itself.

Multiple Births

Over the last quarter of a century many industrialized countries have reported a substantial increase in the incidence of twin and higher order multiple births (e.g. American Society for Reproductive Medicine, 2004; Office for National Statistics, 2004). These are due primarily to a variety of factors related to fertility treatment, the most significant of which is the practice of transferring more than one embryo during a single IVF cycle. Two recent international studies (Adamson, 2006; Andersen et al., 2007) indicate that around a quarter of all IVF deliveries are twins or higher order multiples. Although some European countries have introduced initiatives to drive down the prevalence of multiple embryo transfer (Andersen et al., 2007) this remains particularly high in the United States (Jones and Cohen, 2004; Centers for Disease Control and Protection, 2007) where NRTs accounted for 1% of the total births in 2004, but 18% of all multiple births - 17% of twins and 40% of higher order births. The NRT rate for twins was 44% (compared to 3% for the general US population) and 6% for triplet and higher-order births (compared to 0.2% for the general US population) (Wright et al., 2007). In the UK, around half of all twins are conceived following IVF and other forms of fertility treatment (Human Fertilisation and Embryology Authority, 2007).

Multiple pregnancy and births result in health risks for both mothers and children, economic, psychological and social problems for families, and pressures on neonatal and other health services, education and social services. Here my main interest is, of course, the implications for children. Fetuses in a multiple pregnancy are at increased risk of prenatal death (American College of Obstetricians and Gynecologists, 1998). Survivors are at heightened risk of preterm delivery with associated low birth weight, which accounts for the majority of the subsequent difficulties experienced by these children, including increased risk of perinatal death (Human Fertilisation and Embryology Authority, 2006; Kurinczuk, 2006; Sebire, 2006), cerebral palsy, other neurological, respiratory and gastrointestinal problems, and visual impairments (Costeloe et al., 2000; Blickstein, 2006; Marlow, 2006; Wimalasundera, 2006). These may require longterm medical and social care, rehabilitation and special education provision. Survivors of a multiple pregnancy face the loss of one or more siblings as a consequence of the “vanishing twin” phenomenon or of multifetal pregnancy reduction – the abortion of one or more fetuses to reduce the incidence of preterm delivery and increase the chances of survival of the remaining fetus(es) (Pinborg, 2005).

Multiple births in a family may cause considerable emotional, financial and physical stress, compromising the quality of life of all family members (e.g. Botting et al., 1990; Merenkov, 1995; Cook et al., 1998; Colpin et al., 1999; Ostfeld et al., 2000; Bryan, 2003; European Society for Human Reproduction and Embryology Task Force on Ethics and Law, 2003; Pinborg et al., 2003; Glazebrook et al., 2004; Klock, 2004; Ellison et al., 2005; Olivennes et al., 2005; Pinborg, 2005; Sen and Robson, 2006).

Pre-Implantation Genetic Diagnosis (PGD) and Selecting the Characteristics of Children

PGD involves the analysis of one or two cells from an embryo and can be used to identify its sex and – at the present time - over 1000 genetic conditions. Its application has given rise to the term “designer babies”, a concept that currently - at least - more properly belongs in the realm of science fiction than that of science, although this is not to say that this will always be the case. PGD may be used to:

- Screen for aneuploidy, autosomal single gene disorders (such as cystic fibrosis, sickle cell disease, Tay-Sachs disease, or thalassaemia), or inherited chromosomal rearrangements;
- Conceive a child with a disability;
- Conceive either a boy or a girl. This may be for an X-linked health condition (such as Duchenne Muscular Dystrophy, Fragile X syndrome, or haemophilia) - or for personal, social or cultural reasons;
- (In conjunction with Human leukocyte antigen typing [“tissue typing”]) conceive a child who could be a matched tissue donor for an existing sibling affected by a life-threatening condition – a so-called “saviour” sibling - whose cord blood could provide stem cells to treat the sick sibling.

The major child welfare concerns relate to the safety of the technologies and their impact both on individual children - and more widely on children as a class - of being conceived with particular characteristics or with a particular “mission in life”.

Relatively few children have been conceived following PGD. As a consequence, limited information about the implications of PGD is available. While no evidence has emerged to indicate that removal of either a single cell or two cells from an embryo for analysis poses risks for embryo development or to a future child (Björndahl and Barratt, 2002), and initial follow-up of infants conceived following PGD aged up to 12 months indicates that the prevalence of birth defects is similar to that among naturally-conceived babies (Verlinsky et al., 2004), further research is necessary to establish a more accurate assessment of risk.

Since the additional analysis required to identify a potential “saviour sibling” can be undertaken using the same biopsied cell(s), and the use of stem cells from cord blood is a non-invasive procedure, there seems no reason to suppose that potential “saviour siblings” are subjected to any additional physical health risks in relation to this procedure alone. However, a potential “saviour” sibling could be exposed to additional risks where the embryo is tested for tissue match purposes only rather than to test for an underlying physical condition. Given the ostensible purpose of technology to avoid disabilities and adverse health conditions, its use deliberately to conceive a disabled child would strike many as perverse.

Nevertheless, recent research has shown that some clinics in the United States would be willing to “select in” a disability (Baruch et al., 2006). Although there is little evidence of reproductive technology being used for such purposes, there has been considerable debate about the deliberate conception of a deaf child and whether deafness is more appropriately perceived as a distinctive cultural identity and linguistic minority rather than as a disability (e.g. Savulescu, 2002; Doyal and McLean, 2005).

The absence of empirical evidence has allowed both advocates and opponents of the technology to engage in extensive speculation concerning the potential impact of PGD on children. In the case of sex selection, this has included the risks of the child being subject to high expectations and/or expectations to conform to sex-specific stereotypes, as well as possible implications of incorrect diagnosis and the birth of a child of the “wrong” sex (Savulescu, 1999; Robertson, 2001). An intriguing contribution to this discussion has been made by Jenny Dai (2001: 38), based on her deeply negative experiences of being brought up in a culture of “son preference” in Taiwan:

.... from the standpoint of the child of the undesirable gender, [preconception sex selection] appears to be a rather appealing option if gender discrimination towards women persists.

In the case of “saviour siblings”, protagonists have speculated on the fate and welfare of the intended saviour who proves not to be a suitable match after all, is subject to pressure to donate bone marrow as well as stem cells, or fails to save the sick child’s life.

More generally, concerns have been expressed regarding the commodification or instrumentalization of children conceived with “made-to-order” characteristics or to perform a particular role, rather than for their own intrinsic worth (e.g. Centre for Bioethics and Public Policy, 2004; Human Genetics Alert, 2004). The use of PGD to exclude “undesirable” characteristics is criticized for legitimating sex discrimination, eugenic practices, and undermining the dignity of existing sick and disabled individuals as having a life that is “not worth living” (Croll, 2000; Human Genetics Alert, 2004; American College of Obstetricians and Gynecologists, 2007). Critics further warn of “slippery slope” perils, highlighting examples such as the 2007 approval in the UK of PGD to screen out low penetrance/late onset conditions such as breast cancer, and for non-life threatening conditions such as congenital fibrosis of the extraocular muscles (King, 2007).

Donor Conception

Donor insemination (DI) is one of the earliest forms of assisted conception, and one that is far from being either new or technologically sophisticated. From the outset, the dubious acceptability, morality and legality of DI determined its provision as a clandestine rather than as a merely confidential medical service (Novaes, 1998). Physicians ensured that a recipient never knew the donor’s identity and often advised recipients and their partner not to tell anyone – including their child(ren) – of their recourse to DI (Royal College of Obstetricians and Gynaecologists, 1987). Needless to say, no provisions were made for donor-conceived people to learn anything about their donor.

Secrecy, anonymity and donor recruitment practices promoted the use of sperm from a single donor on multiple occasions, and it is known that some donors helped to conceive many dozens of offspring (Festing, 1999/2000). As demand for DI increased, physicians looked beyond their immediate personal and professional circles to recruit new donors, offering financial reward – usually at a modest level – as an incentive. Subsequent technological developments enabled egg and embryo donation to become widely available.

A major consequence of the way in which donor conception has been provided is that, despite the application of DI as a medical procedure for more than a century, we still know comparatively little about it. In the United States, for example, claims of the annual number of children born as the result of donor conception range between 30,000 and 75,000 (Institute for American Values, 2006). Much of the available information about donor conception is limited to DI itself and is based either on small-scale empirical studies that are inherently biased because many children in study families are unaware of the nature of their conception, or on anecdotal accounts from a comparatively small group of donor-conceived individuals who have learned about their conception in a variety of ways – not all of which have either been planned or positive experiences – and most of whom have little, if any, information about their donor or other genetic relatives – or indeed, whether they have any other genetic relatives at all.

While published research indicates that donor-conceived children appear to be developing and growing up within the bounds of “normality”, a number of child welfare concerns have been identified including:

- Access to information;
- Commercialization of gamete procurement;
- Deliberate separation of children from their genetic parent(s);
- Recourse to donor conception by single women and lesbian couples, and recourse to egg donation by older, post-menopausal women.

Access to Information

Anonymity continues to receive significant endorsement by the medical profession in many countries, primarily on the utilitarian ground that its removal would adversely impact donor supply (House of Commons Science and Technology Committee, 2005: 69-72; British Fertility Society, 2007: 6). Anonymity has increasingly been challenged by other professional groups and individuals, children's rights organizations, some parents of donor-conceived children and donor-conceived people themselves, believing that information relating to an individual's personal identity should not be withheld from them. While rare, some contrary views from donor-conceived people have been expressed. For example, Karen Clarkson (2005: 29) has written:

There is a comforting finality to knowing you can never discover the identity of one of your biological parents. You accept it and move on,

while Kramer (2006: 41) indicates how he has accommodated limited knowledge of his genetic and biographical background:

[N]ot knowing my donor is not something I think about on a day-to-day basis. It's not that I ignore it, but having known it since I was only two years of age has made it a part of my life that I embrace and accept.

The UN Convention on the Rights of the Child and, in Europe, the European Convention on Human Rights and Fundamental Freedoms have been drawn on in this debate, resulting in modest successes for proponents of the abolition of donor anonymity, while the UN Committee on the Rights of the Child has specifically highlighted the "potential conflict" between donor anonymity and the provisions of the Convention (Blyth and Farrand, 2004).

In response to changing perceptions of donor-conceived people's needs for and rights to information, some jurisdictions have established statutory and/or "voluntary" registries that enable donor-conceived people to access information about their donor. This, of course, assumes that they are aware of the nature of their conception in the first place. Although recipients of donated gametes or embryos are now less likely to be overtly advised not to tell their children about the nature of their conception, the extent to which they may be actively encouraged to tell – and the likelihood of their doing so – remain variable. Some registries permit access to non-identifying information only, while others permit access to the donor's identity – and some facilitate access to information about half-siblings sharing the same donor (Blyth and Speirs, 2004). The most successful registry, the Donor Sibling Registry, established independently of any government by Wendy and Ryan Kramer in 2000, has facilitated more than 12,000 matches between nearly 5,000 half-siblings and/or donors as at April 2008 (<http://www.donorsiblingregistry.com>).

Commercialization of Gamete Procurement

While some jurisdictions prohibit donor remuneration in any form, others allow the market free rein. In the United States some women with particularly "desirable" and marketable attributes are able to command fees running into many thousands of dollars for their eggs (Spar, 2006). Some donor-conceived people have criticized commercial gamete procurement as "degrading and cheapen[ing] the essence of what it means to be human" and for compromising their integrity (Pratten, 2004 – see also Rubin, 1983).

Deliberate Separation of Children from their Genetic Parent(s)

The most fundamental criticism of donor conception, endorsed by some donor-conceived people and others, is that in any form it is damaging and inherently unethical because it subjects donor-conceived people to "genetic alienation" (Rose, 2004) and "severed kinship" (Rose, nd) and disregards their right to be raised by their genetic parents (Tangled Webs, nd; Rose, 2001a, 2001b, 2004; Institute for American Values, 2006; Walker, 2006). These concerns are compounded by the use of donor conception by single women and lesbian couples, by depriving the child of the opportunity of being reared by both a mother and father (Somerville, 2005, 2007; Institute for American Values, 2006), and by the use of egg donation by older, post-menopausal women, whose parenting capacities may be compromised by advanced age and/or ill health and who may not survive their child's early years (Freeman, 1997).

Approaches to Children's Welfare

One view of children's welfare in respect of reproductive technologies is that the concerns highlighted here – and others that have not been considered because of space limitations – are insufficiently serious to warrant

interference in freely consenting adults' reproductive autonomy. In this regard, it is almost always in the child's best interests to be born, save for exceptionally rare instances when he or she would be exposed to a life that is "not worth living" (Harris, 2004; Savulescu, 2002, 2004a, b). Even if children conceived as a result of NRTs "... have worse lives than average, that is not a reason to restrict the technology since they would not have otherwise have existed (sic)" (Savulescu, 2004b: 359).

This perspective led a UK Parliamentary Committee to recommend the abolition of the existing legal requirement to take account of the welfare of the child before providing fertility treatment. Where a clinic had any concerns about the welfare of any child who might be conceived as a result of the treatment, the Committee advised referral to a statutory child welfare agency to undertake an assessment following the child's birth and take any necessary safeguarding action under child protection legislation (House of Commons Science and Technology Select Committee, 2005: 103).

In respect of some of the examples cited above, advocates of this approach have offered the following comments:

Although I believe the use [of] technology to deliberately choose to have a child with disability is wrong, I believe that if we are serious about respecting people's procreating autonomy, we should respect those decisions (Savulescu, 2004a: 104).

I do not believe there is any such thing [need to know one's genetic origin] but if there is, it is doubtful that the arguments which might sustain it are such as to outweigh the rights of privacy of sperm donors still less the rights to protection of the privacy of family life (Harris, 2004: 25).

Harris also made a remarkable observation concerning a widely-reported clinic error in the UK, which resulted in a white woman, Mrs. A, who was undergoing ICSI treatment with her husband, giving birth to mixed-race twins (Leeds Teaching Hospitals NHS Trust v Mr. and Mrs. A and Others, 2003). This occurred after the clinic inadvertently fertilized her eggs with sperm from an Asian man, Mr. B (who with his wife was also undergoing ICSI at the clinic at the same time), although the error was not apparent until after the twins' birth. Harris (2003: 206) commented:

The mix up, while disturbing, is not disastrous. We have one set of happy parents and hopefully a set of happy children.

Neither Mr. nor Mrs. B have spoken publicly about their experiences, although Mr. B unsuccessfully contested the As' application to adopt the twins. However, in a national newspaper, Mr. and Mrs. A subsequently described their ordeal as a "nightmare" (Lazzeri and Kay, 2006a, b).

Many would accept the "better off dead" judgment as one that may be made by a competent adult, although this is troubling enough. Extending this to an infant or to an individual yet to be born requires a considerable credibility jump. Furthermore, when applied to the deliberate conception of a child, such stark choice is invidious:

Preferring a disadvantaged life as the only alternative to non-existence may be a rational choice for him to make, and yet the reason why there should be no person who has to face these alternatives is precisely that, once brought into existence facing them, he will find that his own individual non-existence is the only alternative to his disadvantages (Velleman, 2005: 372-373).

A contrary proposition asserts that children should not knowingly or intentionally be brought into the world unless they will not be affected negatively in any foreseeable way. For some, this means that some procedures should be prohibited altogether, such as all forms of third party assisted conception (Velleman, 2005; Institute for American Values, 2006; Somerville, 2007; Tangled Webs, n.d.) and the conception of saviour siblings (Campbell, 2004; Comment on Reproductive Ethics, 2004), and that some groups, such as single people, people in same-sex partnerships, and post-menopausal women should be prevented from accessing those assisted reproduction services that are permitted (Somerville, 2005, 2007; Institute for American Values, 2006).

Self-evidently, such an approach necessarily defines children's rights in terms of a conflict with the rights of other groups and legitimates the application of discriminatory practices (e.g. de Lacey, 1997; Jackson, 2001; Saffron, 2004; Victorian Law Reform Commission, 2007). Since from the moment of birth, we are all subject to various hazards that life will put in our way, the aspiration never to cause any harm means that it must always be wrong to bring about the existence of another person. As Wilkinson (2003) observes, taken to its logical conclusion, this is essentially an argument for discontinuation of the species.

An alternative to the “anything goes” or “nothing goes” positions, the “reasonable welfare” approach, defines the world as more grey than unequivocally black or white. Accepting that existence necessarily poses some risks, advocates aspire to the modest objective that the individual conceived as a result of reproductive technologies will have a “reasonably happy life” (Pennings, 1999: 1148). The “reasonable” welfare approach acknowledges service providers’ duty of care to parties other than to those seeking treatment (Ethics Committee of the American Society for Reproductive Medicine, 2004; Nathanson, 2004; Human Fertilisation and Embryology Authority, 2005) and legitimates some curtailment of the reproductive autonomy of adults. A parallel argument has been advanced by those seeking to limit the expansion of PGD, that living with disabilities or with treatable, non-fatal conditions is not inconsistent with having a “worthwhile” life (King, 2007).

This approach underlies legislation in various jurisdictions governing assisted conception services that requires account to be taken of children’s “welfare” (Human Reproductive Technology Act 1991: Western Australia; Human Fertilisation and Embryology Act, 1990: United Kingdom); “interests” (Assisted Reproductive Technology Bill 2007: New South Wales); “welfare and interests” (Infertility Treatment Act 1995: Victoria); “best interests”, (Assisted Human Reproduction Act 2004: Canada, or “health and well-being” (Human Assisted Reproductive Technology Act 2004: New Zealand).

However, operationalizing such principles – and defining what makes for a “reasonably” happy or “worthwhile” life – has proved problematic. The fact that legislation in different jurisdictions ostensibly promoting children’s welfare or interests both secures and prohibits the legal protection of donor anonymity illustrates clearly the contested nature of these concepts.

A Way Forward: Giving Stakeholders a Voice

There is little doubt that professional groups and the fertility industry more widely have been the main drivers of developments in reproductive technology. There has been relatively limited opportunity for the views of those most directly affected to be heard. This needs to change. Significantly, those who are brought into being as a result of reproductive technologies are the one group of stakeholders with “no voice and no choice” (Walker, 2006).

Challengingly, John Eekelaar, a noted authority on children’s rights, has claimed that:

The only way [children’s] rights can be addressed is by asking whether a person would choose to be born into a context and in the circumstances contemplated (1992: 230).

However, as with “maximum welfare” arguments, the practical application of this approach might embrace more circumstances than intended. What, logically, would limit its application to conception resulting from reproductive technology? Given the choice, we might all be able to think of preferable circumstances for our own conception.

Taking constructive action, therefore, is not straightforward, even though promotion of children’s rights to be heard and to participate in decision-making concerning their own lives is not only legitimate, but is integral to contemporary orthodoxy in many jurisdictions.

Children clearly cannot give or withhold consent to their own conception; they may be too young to express a view and their dependency may preclude truly independent views even when these are articulated (Eekelaar, 1992; Vanfraussen et al., 2003; Rose, 2004); and their views are almost certainly bound to change as they mature (Eekelaar, 1992). Of the three million people born as a result of reproductive technologies worldwide, we know about the experiences of a few dozen only, and – as noted previously – these are almost exclusively children and adults conceived as a result of anonymous DI, who do not all “speak with one voice”.

There are also other stakeholders whose interests have been promoted through anti-discrimination and equal opportunities legislation who have a right to be heard, especially where – in the views of some people at least – their interests may be regarded as conflicting with those of children.

Conclusions

It goes without saying that if there was a quick fix to satisfy all interests, it would have been identified by now and there would be little need for discussions such as those raised in this paper. The only constructive way forward seems to be a willingness of all protagonists to give serious consideration to the views of all other stakeholders, especially if our instinctive inclination is to disagree with them, and be willing to review our own

views. In so doing we may be able to edge somewhere nearer towards resolutions that are fair, just and which may command broad community support.

References

Adamson, G., de Mouzon, J., Lancaster, P., Nygren, K. G., Sullivan, E. and Zegers-Hochschild, F., "World collaborative report on in vitro fertilization, 2000", *Fertility and Sterility* 2006 (85) 1586 - 1622.

American College of Obstetricians and Gynecologists, "Special problems of multiple gestation". ACOG Educational Bulletin: 253. (Washington, DC: ACOG., 1998).

American College of Obstetricians and Gynecologists, "Sex Selection. ACOG Committee Opinion No. 360", *Obstetrics and Gynecology* 2007 (107) 475 - 478.

American Society for Reproductive Medicine, *Multiple pregnancy and birth: Twins, triplets and higher order multiples. A guide for patients* (Birmingham, AL: American Society for Reproductive Medicine, 2004)
<http://www.asrm.org/Patients/patientbooklets/multiples.pdf>

Andersen, A. N., Goossens, V., Gianaroli, L., Felberbaum, R., de Mouzon, J. and Nygren, K.G., "Assisted reproductive technology in Europe, 2003. Results generated from European registers by ESHRE", *Human Reproduction* 2007 (22) 1513 - 1525.

Baruch, S., Kaufman, D. and Hudson, K., "Genetic testing of embryos: practices and perspectives of U.S. IVF clinics", *Fertility and Sterility* 2006, 20 September DOI: 10.1016/j.fertnstert.2006.09.003.

Belva, F., Henriët, S., Liebaers, I., Van Steirteghem, A., Celestin-Westreich, S. and Bonduelle M., "Medical outcome of 8-year-old singleton ICSI children (born =32 weeks' gestation) and a spontaneously conceived comparison group", *Human Reproduction* 2007 (22) 506 - 515.

Björndahl, L. and Barratt, C., *Sex selection: A survey of laboratory methods and clinical results*. (London: HFEA, 2002) http://www.hfea.gov.uk/docs/Appendix_C_-_Scientific_and_Technical_Literature_Review.pdf

Blickstein, I., "Epidemiology of cerebral palsy in multiple pregnancies", in Kilby, M. Baker, P. Critchley H. and Field D. (eds.) *Multiple Pregnancy*. (London: RCOG Press, 2006).

Blyth, E. and Farrand, A., "Anonymity in donor-assisted conception and the UN Convention on the Rights of the Child". *International Journal of Children's Rights* 2004 (12) 89 - 104.

Blyth, E. and Speirs, J., "Meeting the rights and needs of donor-conceived people: the contribution of a voluntary contact register", *Nordisk Sosialt Arbeid* 2004 (24 (4)) 318 - 330.

Bonduelle, M., "Paediatric Outcome following infertility management/genetic outcome". In Daya, S., Harrison, R. and Kempers, R. (eds.) *Advances in Fertility and Reproductive Medicine: International Congress Series* 1266. (Amsterdam: Elsevier, 2004).

Bonduelle, M., Wennerholm, U.-B., Loft, A., Tarlatzis, B. C., Peters, C., Henriët, S., Mau, C., Victorin-Cederquist, A., Van Steirteghem, A., Balaska, A., Emberson, J. R. and Sutcliffe, A., "A multi-centre cohort study of the physical health of 5-year-old children conceived after intracytoplasmic sperm injection, in vitro fertilization and natural conception", *Human Reproduction* 2005 (20) 413 - 419.

Botting, B., MacFarlane, A. and Price, F. (eds.), *Three, Four and More: A Study of Triplet and Higher Order Births* (London: HMSO, 1990).

British Fertility Society, Department of Health Review of the Human Fertilisation and Embryology Act. White Paper (December 2006). British Fertility Society Response. 24 April. (Bristol: British Fertility Society, 2007).

Bryan, E., "The impact of multiple preterm births on the family", *British Journal of Obstetrics and Gynaecology* 2003 (110) 24 - 28.

Campbell, A., "Oral Evidence to the House of Commons Science and Technology Select Committee: Human Reproductive Technologies and the Law": In House of Commons Science and Technology Committee. *Human Reproductive Technologies and the Law. Fifth Report of Session 2004-05. Vol II: Oral and Written Evidence:*

96. 13 October 2004 (London: House of Commons, 2005).

<http://www.publications.parliament.uk/pa/cm200405/cmselect/cmsctech/7/7ii.pdf>

Centers for Disease Control and Prevention, 2005 Assisted Reproductive Technology Success Rates: National Summary and Fertility Clinic Reports. (Atlanta, GA: U.S. Department of Health and

Human Services, Centers for Disease Control and Prevention, 2007).

http://www.cdc.gov/ART/ART2005/508PDF/2005_ART508.pdf

Centre for Bioethics and Public Policy, "Memorandum from the Centre for Bioethics and Public Policy to the House of Commons Science and Technology Select Committee: Human Reproductive Technologies and the Law", In House of Commons Science and Technology Committee (2005) op cit., Appendix 15. Ev 237, 2004).

Clarkson, K., "No, I never want to meet my 'real' father", Daily Mail 2005 6 April: 28 - 29.

Colpin, H., De Munter, A., Nys, K. and Vandemeulebroecke, L., "Parenting stress and psychosocial well-being among parents with twins conceived naturally or by reproductive technology", Human Reproduction 1999 (14) 3133 – 3137.

Comment on Reproductive Ethics [CORE], HFEA designer baby decision unethical, unnecessary and undemocratic. 26 July, 2004. <http://www.corethics.org/document.asp?id=f260704.txt&se=3&st=4>

Cook, R., Bradley, S. and Golombok, S., "A preliminary study of parental stress and child behaviour in families with twins conceived by in-vitro fertilization", Human Reproduction 1998 (13) 3244 – 3246.

Costeloe, K., Hennessy, E., Gibson, A., Marlow, N., Wilkinson, A. and for the EPICure Study Group, "The EPICure study: outcomes to discharge from hospital for infants born at the threshold of viability", Pediatrics 2000 (106) 659 – 671.

Croll, E., Endangered Daughters: Discrimination and Development in Asia. (London: Routledge, 2000).

Dai, J., "Preconception Sex Selection: The perspective of a person of the undesired gender", American Journal of Bioethics 2001 (1) 37 - 38.

Debaun, M., Niemitz, E., McNeil, D., Brandenburg, S., Lee, M. and Feinberg, A., "Association of in vitro fertilization with Beckwith–Wiedemann syndrome and epigenetic alterations of LIT1 and H19", American Journal of Human Genetics 2003 (70) 604 – 611.

de Lacey, S., Children's Interests: Has Social Policy Gone Mad? Paper presented at Fertility Society of Australia annual scientific meeting, Adelaide, South Australia: 2-4 December, 1997.

Doyal, L. and McLean, S., "Choosing children: intergenerational justice?" Reproductive BioMedicine Online 2005 (10 (Supp 1)) 119 – 124.

Eekelaar, J., "The importance of thinking that children have rights", International Journal of Law and the Family 1992 (6) 221 – 235.

Ellison, M., Hotamisligil, S., Lee, H., Rich-Edwards, J., Pang, S. and Hall, J., "Psychosocial risks associated with multiple births resulting from assisted reproduction", Fertility and Sterility 2005 (83) 1422 – 1428.

Encyclopaedia Britannica, Encyclopaedia Britannica's Great Inventions, 2003 <http://corporate.britannica.com/press/inventions.html> [accessed 23 March 2007].

Ethics Committee of the American Society for Reproductive Medicine, "Child-rearing ability and the provision of fertility services", Fertility and Sterility 2004 (82) 564 - 567.

European Society for Human Reproduction and Embryology Task Force on Ethics and Law, "Ethical issues related to multiple pregnancies in medically assisted procreation", Human Reproduction, 2003 (18) 1976 - 1979.

Festing, S., "Brothers and sisters have I many". DI Network News, 1999/2000 (14) 5.

Freeman, M., "Do Children Have the Right Not to be Born?" in Freeman, M., The Moral Status of Children. (The Hague: Martinus Nijhoff Publishers, 1997).

Glazebrook, C., Sheard, C., Cox, S., Oates, M. and Ndukwe, G., “Parenting stress in first-time mothers of twins and triplets conceived after in vitro fertilization”, *Fertility and Sterility*, 2004 (81) 505 – 511.

Grant, J., Hoorens, S., Gallo, F. and Cave, J., *Should ART Be Part of a Population Policy Mix? A Preliminary Assessment of the Demographic and Economic Impact of Assisted Reproductive Technologies*. (Rand Organisation, 2006). http://www.rand.org/pubs/documented_briefings/2006/RAND_DB507.pdf

Hansen, M., Bower, C., Milne, E., de Klerk, N. and Kurinczuk, J., “Assisted reproductive technologies and the risk of birth defects—a systematic review”, *Human Reproduction* 2005 (20) 328 – 338.

Hansen, M., Kurinczuk, J., Bower, C. and Webb, S., “The risk of major birth defects after intracytoplasmic sperm injection and in vitro fertilization”, *New England Journal of Medicine* 2002 (346) 725 – 730.

Harris, J., “Assisted reproductive technological blunders (ARTBs)”, *Journal of Medical Ethics* 2003 (29) 205 - 206.

Harris, J., *On Cloning: Thinking in Action*. (London: Routledge, 2004).

Horsey, K., “Three million IVF babies born worldwide”. *BioNews* 2006 (364) 26 June. <http://www.bionews.org.uk/new.lasso?storyid=3086>

House of Commons Science and Technology Committee, *Human Reproductive Technologies and the Law*. Fifth Report of Session 2004–05. Vol I. (London: House of Commons, 2005). <http://www.publications.parliament.uk/pa/cm200405/cmselect/cmsctech/7/7i.pdf>

Howley, K., ‘Match!’ That was how it started... *Ottawa Citizen* 10 December 2006, 10. <http://www.canada.com/ottawacitizen/news/arts/story.html?id=a8bbb17a-b283-42fa-8e13-98f5ef84a220&k=2845>

Human Fertilisation and Embryology Authority, *Tomorrow’s Children: A Consultation on Guidance to Licensed Fertility Clinics on Taking into Account the Welfare of Children to be Born of Assisted Conception Treatment*. (London: HFEA, 2005).

Human Fertilisation and Embryology Authority, *The Best Possible Start to Life: A Consultation Document on Multiple Births after IVF*. (London: HFEA, 2007).

Human Genetics Alert, “Memorandum from Human Genetics Alert to the House of Commons Science and Technology Select Committee: *Human Reproductive Technologies and the Law*”, in House of Commons Science and Technology Committee (2005) *op cit.*, Appendix 30. Ev. 288, 2004.

Institute for American Values, *The Revolution in Parenthood: The Emerging Global Clash between Adult Rights and Children’s Needs*. Institute for American Values. (New York: Institute for American Values, 2006). <http://www.americanvalues.org/pdfs/parenthood.pdf>

Jackson, E., *Regulating Reproduction: Law, Technology and Autonomy*. (Oxford: Hart, 2001). Jones, H. and Cohen, J., “IFFS Surveillance 04”, *Fertility and Sterility* 2004 (81 (5) (Suppl 4)).

King, D., “Preimplantation Genetic Diagnosis and ‘slippery slopes’”. *BioNews* (407) 14 May 2007. <http://www.bionews.org.uk/commentary.lasso?storyid=3441>

Klock, S., “Psychosocial adjustment to twins after infertility”, *Best Practice and Research Clinical Obstetrics and Gynaecology* 2004 (18) 645 – 656.

Kramer, R., “Why I want to take the shame out of donor conception”. In Morrisette, M., (ed) *Behind Closed Doors: Moving Beyond Secrecy and Shame. Voices of Donor Conception vol 1*. (Minneapolis, MN: Be-Mondo Publishing Inc., 2006).

Kurinczuk, J., “Epidemiology of multiple pregnancy: changing effects of assisted conception”. In Kilby et al., *op cit.*, 2006.

Lazzeri, A. and Kay, J., I want to be pink like Dad. *The Sun* 2006a 29 May. <http://www.thesun.co.uk/article/0,,2-2006240815,00.html>

Lazzeri, A. and Kay, J., Nightmare of IVF mix-up. The Sun 2006b, 30 May. <http://www.thesun.co.uk/article/0,,2-2006250120,00.html>

Leeds Teaching Hospitals NHS Trust v Mr. and Mrs. A and Others [2003] EWCH 259 (QB).

Maher, E., Brueton, L., Bowdin, S., Luharia, A., Cooper, W., Cole, T., Macdonald, F., Sampson, J., Barratt, C., Reik, W. and Hawkins, M., "Beckwith–Wiedemann syndrome and assisted reproduction technology (ART)", *Journal of Medical Genetics* 2003 (40) 62 – 64.

Marlow, N., "Does neonatal and infant neurodevelopment of twins and singletons differ?" in Kilby et al., op cit., 2006.

McClure, N., "Oral Evidence to the House of Commons Science and Technology Select Committee: Human Reproductive Technologies and the Law", in House of Commons Science and Technology Committee (2005) op cit., Ev. 12, 14 June 2004.

Medical Research Council, Assisted Reproduction: A Safe, Sound Future. (London: Medical Research Council, 2004). <http://www.mrc.ac.uk/Utilities/Documentrecord/index.htm?d=MRC002393>

Merenkov, K., "Psychiatric considerations after the birth of multiples", in: Keith, L., Papiernik, E., Keith, D. and Luke, B. (eds.) *Multiple Pregnancy*. (New York: Parthenon Publishing Group, 1995).

Nathanson, V., "Oral Evidence to the House of Commons Science and Technology Select Committee: Human Reproductive Technologies and the Law", in House of Commons Science and Technology Committee (2005) op cit., Ev. 106, 27 October. 2004.

Novaes, S., "The medical management of donor insemination", in Daniels, K. and Haimes, E., (eds.) *Donor Insemination: International Social Science Perspectives*. (Cambridge: Cambridge University Press, 1998).

Nowak, R., "More IVF keeps the birth rate up", *New Scientist* 7 April 2007 (2598) 13. <http://www.newscientist.com/channel/sex/mg19425984.500-more-ivf-keeps-the-birth-rate-up.html>

Office for National Statistics, Birth Statistics: Review of the Registrar General on Births and Patterns of Family Building in England and Wales, 2003. (London: ONS, 2004). http://www.statistics.gov.uk/downloads/theme_population/FM1_32/FM1no32.pdf

Olivennes, F., Golombok, S., Ramogida, C., Rust, J. and the Follow-Up Team, "Behavioral and cognitive development as well as family functioning of twins conceived by assisted reproduction: findings from a large population study", *Fertility and Sterility* 2005 (84) 725 – 733.

Ostfeld, B., Smith, R., Hiatt, M. and Hegyi, T., "Maternal behaviour toward premature twins: implications for development", *Twin Research* 2000 (3) 234 – 241.

Palermo, G., Joris, H., Devroey, P. and Van Steirteghem, A., "Pregnancies after intracytoplasmic injection of single spermatozoon into an oocyte", *Lancet* 1992 (340) 17 – 18.

Pennings, G., "Measuring the welfare of the child: in search of the appropriate evaluation principle", *Human Reproduction* 1999 (14) 1146 - 1150.

Pinborg, A., "IVF/ICSI twin pregnancies: risks and prevention", *Human Reproduction Update*, 2005 (11) 575 – 593.

Pinborg, A., Loft, A., Schmidt, L. and Andersen, A.N., "Morbidity in a Danish National cohort of 472 IVF/ICSI twins, 1132 non-IVF/ICSI twins and 634 IVF/ICSI singletons: health-related and social implications for the children and their families", *Human Reproduction* 2003 (18) 1234 – 1243.

Ponjaert-Kristoffersen, I.T., Tjus, T., Nekkebroeck, J., Squires, J., Verte, D., Heimann, M., Bonduelle, M., Palermo, G. and Wennerholm, U-B., "Psychological follow-up study of 5-year- old ICSI children", *Human Reproduction* 2004 (19) 2791 – 2797.

Pratten, O., Proceedings of the Standing Senate Committee on Social Affairs, Science and Technology Issue 2 - Evidence - Meeting of 25 February 2004. <http://www.parl.gc.ca/37/3/parlbus/commbus/senate/Committee/02eva-e.htm?L>

- Robertson, J., "Preconception gender selection", *American Journal of Bioethics* 2001 (1) 2 - 9.
- Rose, J., *Exploring the Caves: Reflections on the Problems and Ethics of Being Conceived from 'Donor' Sperm* (unpublished BA [Hons] dissertation). (Brisbane: Queensland University of Technology, 2001a).
- Rose, J., *From a 'bundle of joy' to a person with sorrow: Disenfranchised grief for the donor-conceived adult*. Queensland University of Technology Applied Ethics Seminar Series, 2001b. http://eprints.qut.edu.au/archive/00000737/01/rose_fromabundle.PDF
- Rose, J., *Sperm Donation: The Mediation of Kinship and Identity Issues for the Off spring*. Paper presented at 2nd National Conference on the Mental Health Aspects of Persons Affected by Family Separation, 14-15 October 2004, The Park Centre for Mental Health Wacol, Queensland.
- Rose, J., <http://familyscholars.org/?p=4488>, cited in Institute for American Values (2006) op cit., undated.
- Royal College of Obstetricians and Gynaecologists, *Donor Insemination*. (London: RCOG., 1987).
- Rubin, S., "Reproductive options 1: a spermdonor baby grows up", in Zimmerman, J. (ed) *The Technological Woman: Interfacing with Tomorrow*. (New York: Prager, 1983).
- Saffron, L., "Oral Evidence to the House of Commons Science and Technology Select Committee: Human Reproductive Technologies and the Law, in House of Commons Science and Technology Committee (2005) op cit., Ev. 43. 30 June 2004.
- Savulescu, J., "Sex selection: the case for", *Medical Journal of Australia* 1999 (171 (7)) 373 - 375.
- Savulescu, J., "Deaf lesbians, 'designer disability', and the future of medicine", *British Medical Journal* 2002 (325) 771 - 773.
- Savulescu, J., "Oral Evidence to the House of Commons Science and Technology Select Committee: Human Reproductive Technologies and the Law, in House of Commons Science and Technology Committee (2005) op cit., Ev 103. 13 October. 2004a.
- Savulescu, J., "Memorandum from Professor Julian Savulescu to the House of Commons Science and Technology Select Committee: Human Reproductive Technologies and the Law", in House of Commons Science and Technology Committee (2005) op cit., Appendix 62. Ev. 359, 2004b.
- Sebire, N., "Anomalous development in twins (including monozygotic duplication", in Kilby, et al., op cit., 2006.
- Sen, D. and Robson, S., "Effects of the birth of multiples on parents' psychological wellbeing", In Kilby et al., op cit., 2006.
- Sforza, T., "Fertility fraud settlements cost millions", *The Orange County Register*. 26 June, 2007. http://www.ocregister.com/ocregister/homepage/abox/article_1743927.php
- Somerville, M., "Gay Rights; Children's Rights", *Christianity.ca*. 14 July, 2005. <http://www.christianity.ca/news/social-issues/2005/07.001.html>
- Somerville, M., "Mother and sister, mother and grandmother", *Ottawa Citizen*. 27 April, 2007. <http://www.canada.com/ottawacitizen/news/opinion/story.html?id=11086f39-9913-4ca1-a6c5-4122ed4d41a3>
- Spar, D., *The Baby Business: How Money, Science and Politics Drive the Commerce of Conception*. (Boston: Harvard Business School Press, 2006).
- Sutcliffe, A., "Reproductive Technology and its Impact on Psychosocial Child Development", in Tremblay, R., Barr, R. and Peters, R., (eds) *Encyclopedia on Early Childhood Development* [online] (Montreal, Quebec: Centre of Excellence for Early Childhood Development 2003: 1 - 5. <http://www.excellenceearlychildhood.ca/documents/SutcliffeANGxp.pdf>
- Sutcliffe, A., "The long-term paediatric outcome of assisted reproductive therapies", in Daya et al., op cit., 2004.

Sutcliffe, A., Peters, C., Bowdin, S., Temple, K., Reardon, W., Wilson, L., Clayton-Smith, J., Brueton, L., Bannister, W. and Maher, E., "Assisted reproductive therapies and imprinting disorders - a preliminary British survey", *Human Reproduction* 2006 (21) 1009 - 1011.

Tangledwebs, Statement on Donor Conception. (Tangledebs, undated) <http://www.tangledwebs.org.au/dc.php> [accessed 19 April 2007].

Tarlatzis, B. and Bili, H., "Intracytoplasmic sperm injection. Survey of World results", *Annals of the New York Academy of Sciences* 2000 (900) 336 – 344.

Thomas, V., Stop the Baby Trade, 2006. <http://childrenhaverightssaynotoreprotech.blogspot.com/>

Vanfraussen, K., Ponjaert-Kristoffersen, I. and Brewaeys, A., "Why do children want to know more about the donor? The experience of youngsters raised in lesbian families", *Journal of Psychosomatic Obstetrics and Gynecology* 2003 (24) 31 - 38.

Velleman, D., "Family history", *Philosophical Papers* 2005 (34 (3)) 357 - 378.

Verlinsky, Y., Cohen, J., Munne, S., Gianaroli, L., Leigh Simpson, J., Ferraretti, A. and Kuliev, A., "Over a decade of preimplantation genetic diagnosis experience - a multicenter report", *Fertility and Sterility* 2004 (82) 292 - 294.

Victorian Law Reform Commission, Assisted Reproductive Technology and Adoption: Final Report. (Melbourne: Victorian Law Reform Commission, 2007).
[http://www.lawreform.vic.gov.au/CA256902000FE154/Lookup/Assisted_Reproductive_Technology_and_Adoption/\\$file/ART%20&%20Adoption%20Report%20FINAL.pdf](http://www.lawreform.vic.gov.au/CA256902000FE154/Lookup/Assisted_Reproductive_Technology_and_Adoption/$file/ART%20&%20Adoption%20Report%20FINAL.pdf)

Walker, M., letter Melbourne's Child, 2006, September: 11.

Wang, Y., Dean, J., Grayson, N. and Sullivan, E., Assisted reproduction technology in Australia and New Zealand 2004: Assisted Reproduction Technology Series 10. (Randwick, NSW: Australian Institute of Health and Welfare National Perinatal Statistics Unit and the Fertility Society of Australia. 2006).
[http://www.npsu.unsw.edu.au/NPSUweb.nsf/resources/ART_2003-04/\\$file/ART10+report.pdf](http://www.npsu.unsw.edu.au/NPSUweb.nsf/resources/ART_2003-04/$file/ART10+report.pdf)

Wilkinson, S., *Bodies for Sale: Ethics and Exploitation in the Human Body Trade*, (London: Routledge, 2003).

Wimalasundera, R., "Selective reduction and termination of multiple pregnancies", In Kilby et al., op cit, 2006).

Wright, V., Chang, J., Jeng, G., Chen, M. and Macaluso, M., "Assisted Reproductive Technology Surveillance - United States, 2004", *MMWR* 2007 (56 (SS06)) 1 - 22, 2007).
http://www.cdc.gov/mmwr/preview/mmwrhtml/ss5606a1.htm?s_cid=ss5606a1_e